roved For Release 2000/09/14 : CIA-RDP89B00551R000700070001-6

No. Pages:

TOP SECRET-

MISSION COVERAGE SUMMARY

MISSION B 4058 28 AUGUST 1957



HTA-MCS-29-57 10 SEPTEMBER 1957

WARNING: HANDLE VIA TALENT CONTROL CHANNELS ONLY

CENTRAL INTELLIGENCE AGENCY
OFFICE OF RESEARCH AND REPORTS

This document contains information usable only within the TALENT CONTROL SYSTEM. It is to be seen on a MUST-KNOW BASIS ONLY BY PERSONNEL ESPECIALLY INDOCTRINATED AND AUTHORIZED. Reproduction is prohibited unless approved by the originator.

TOP SECRET--

rproved For Release 2000/09/14 : CIA-RDP89B00551R000700070001-6 Foller 256

Approved For Release 2000/09/14 : CIA-RDP89B00551R000700070001-6

WARNING

This material contains information affecting the National Defense of the United States within the meaning of the espionage laws, Title 18, USC, Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

Approved For Release 2000/8986-CRETAGRES89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No | HTA-MCS-29-57 | |
|---------------------|----------------|------------|---------------|--|
| Date of Report | September 1957 | Mission No | в 4058 | |

| WAC 8 | F | Photo I | dent. | | dinates | Country | al. | Photo Point | اً إِي | Description |
|----------|------|---------------------|--------|----------------|---------|---------|-------|--|--------|---|
| BE No. | Cam. | | Time | | Long. E | | Qual. | 4 8 | Ref. | • |
| 245 | 6 | 655 - 658 | | 44 | 67 | USSR | G | | | TYUMEN'-ARYK; classification yard with approx 9 tracks |
| 246 | 6 | 353 - 355 | | 45 | 64 | USSR | G | | | DZHALAGASH; canal u/c paralleling the Syr-Dar'ya River |
| 246 | 6 | 366 - 367 | | 45 | 64 | USSR | G | | | CHERVONNAYA ZEMLYA |
| 246 | 6 | 392 - 399 | | 45 | 63 | USSR | G | | | Rail line and track activity just east of TYURA-TAM; also track activity leading up to launching area (see camera 7, exposures 390-402) |
| 246 | 6 | 400 - 409 | | 45 | 63 | USSR | G | | • | 4 poss missile-tracking stations; cable scars |
| 246 | | 402 | ż | 45 | 63 | USSR | G | | | U/i, circular, revetted area |
| 246 | 6 | 409 | | 45 | 63 | USSR | G | | | Lone tower |
| 246 | 6 | 434 - 435 | | 46 | 63 | USSR | G | | | Poss military post; 11 large buildings, several smaller buildings |
| 246 | 6 | 481 | | 47 | 61 | USSR | G | | | SAKSAUL'SKIY; rail yard; approx 25 warehouse-type buildings; 2 POL tanks |
| 246 | 6 | 495 - 497 | | 46 | 61 | USSR | G | | | CHUMYSH; rail yard; 1 poss transient-storage shed |
| CDB (| | O (Pay | الممما | · | _1 | 1 | L.,. | L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | la | 7 |

SPB Form IO (Revised)

Page 1 of 23

NOTE:

All exposure numbers are title numbers.

Approved For Release 2000/89%f4CR6TACR09889B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 Ai | ugust 1957 | Report | No | HTA-MCS-29-57 | |
|---------------------|-----------|------------|---------|----|---------------|--|
| Date of Report | 10 Septer | mber 1957 | Mission | No | в 4058 | |

| | , | | *************************************** | | | | | | | |
|----------|--------|---------------------|---|-------------|----------------|---------|-----|-------------|------|---|
| WAC 8 | F | Photo I | dent. | Coordinates | | Country | _: | 우 뉴 | | Danadatian |
| BE No. | Cam. | Exp. | Time ' | Lat. N | Long. E | Country | Qua | Pho Poir | Ref. | Description |
| 246 | 6 | 528- 531 | | 46 | 63 | USSR | F | | | Poss missile-tracking station, end of cable scars (see camera 7, exposures 412-413) |
| 546 | 7 | 390- 402 | | 45 | 63 | USSR | G | | | TYURA-TAM; guided-missile- testing complex, large communi- cations center; various antenna arrays; large housing and administration area, and |
| | | | | | | | | | | temporary housing in tents; large power house; rail head with a spur line running up to a launching area; both open and closed storage; water- treatment plant; local communi- cations center with 3 masts; power lines; pipelines and a road can be traced along the |
| | | | • | | | | | | | spur line to the launch area |
| 246 | 7 | 391 - 392 | | 45-38 | 63 - 17 | USSR | G | | | A/F at TYURA-TAM; hard sand runway; a/c: 1 Cabs, 1 Creek (see camera 8, exposures 391-392) |
| 246 | 7 | 403 | | 46 | 63 | USSR | G | | | Much track activity in isolated desert area; prob cable line on surface; poss missile-tracking station |
| 246 | 7 | 403- 412 | | 47 | 63 | USSR | G | | | Prob cable-line scar |
| 246 | 7 | 412- 413 | | 46 | 63 | USSR | G | | | End of cable-line scar, prob missile-tracking station; several small bldgs, poss tower, tracks converging on several other sites in vicinity, (see camera 6, exposures 528-531) |
| 246 | 7 | 481 - 482 | | 46 | 61 | USSR | G | | | Poss RR refueling station; small siding |
| 246 | 7 | 486- 487 | | 46-49 | 61-37 | USSR | G | | | ARAL'SK A/F; 2 hard-sand landing areas approx 5,500 and 4,200' long; (see camera 8, 486-487) |
| CDD | ا مساف | 0 /Paul | | | | | | J | | |

SPB Form 10 (Revised)

Page 2 of 23

Approved For Release 2000/69864CR6TACR0989B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photograph | y <u>28 August 1957</u> | Report No | HTA-MCS-29-57 | |
|--------------------|-------------------------|------------|---------------|--|
| Date of Report1 | O September 1957 | Mission No | в 4058 | |

| | | | | | - | | | | | |
|----------|-------|---------------------|-------|--------------|---------|-----------|-------------|----------------|------|---|
| WAC & | | Photo I | | | inates | Country | al. | Photo Point | نو | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | | O | 4 8 | Ref. | |
| 246 | 7 | 487- 488 | | 46 | 61 | USSR | P | | | Small secured area |
| 246 | 7 | 487 488 489 | | 46 | 61 | USSR | P P G | | | ARAL'SK; POL storage, several secured areas, RR marshalling yard, shipyard, port facilities, new construction (see camera 8, 475-476) |
| 246 | 7 | 492 - 493 | | 46 | 61 | USSR | Ŧ | | | Small rail-served industry with small secured areas, large u/i conical piles, poss salt |
| 246 | 7 | 493 - 495 | | 46 | 61. | USSR | G | | | Salt diggings |
| 246 | 7 | 561 | | 46 | 65 | USSR | G | | | Prob track activity from TYURA-TAM to down-range station |
| 246 | 7 | 564 - 566 | | 46 | 65 | USSR | G | | | Poss down-range station for TYURA-TAM missile complex |
| 246 | 7 | 613 - 615 | | 45 | 66 | USSR | G | | | U/i earth-scar lines with cross lines prob indicating compass direction |
| 246 | 8 | 390 - 392 | | 45 | 63 | USSR · | G | | | TYURA-TAM; communications center; (see camera 7, exposures 390-402) |
| 246 | 8 | 391- 392 | | 45-38 | | USSR | P | | | A/F at TYURA-TAM (see camera 7, 391-392) |
| 246 | 8 | 465- 473 | | 46 | 61. | USSR | F | | | Salt mining; large strip mines |
| SPR F | orm ! | O (Rev | (hazi | | | | _ | | | Dana 2 44 02 |

SPB Form 10 (Revised)

Page <u>3</u> of <u>23</u>

Approved For Release 2000069862-RCTA-RtDF389B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No. | HTA-MCS-29-57 | |
|---------------------|----------------|------------|---------------|--|
| Date of Report10 | September 1957 | Mission No | в 4058 | |

| | | | | | | | | | | |
|----------|---------|------------------------|--------|--------|---------|---------|-----|----------------|------|---|
| WAC & | | Photo | ldent. | Coordi | nates | Country | , = | oto nt | | Description Percentage |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | ĕ | Photo Point | Ref. | Descrip ton |
| 246 | 8 | 475 - 476 | | 46 | 61 | USSR | P | | | ARAL'SK (see camera 7, frames 488 and 489) |
| 246 | 8 | 486 - 487 | | 46-49 | 61-37 | USSR | F | | + | Aral'sk A/F; 2 hard-sand landing areas approx 5,500 and 4,200 feet long; a/c: 6 prob Cabs and 4 u/i s/e (see camera 7, exposures 486- |
| 246 | 8 | 485 - 487 | - | 46 | 61 | USSR | F | | | Poss military camp; barracks and storage facilities |
| 246 | 8 | 492 - 499 | | 46 | 61 | USSR | F | | | Salt mining (see camera 8, exposures 465-473) |
| 246 | 8 | 563 - 565 | | 46 | 65 | USSR | G | | | Poss electronic site; cross- scarred earth, longest scar approx 3,800' shortest 2,100' |
| 328 | 6 | 91- 92 94- 95 | | 40 | 69 | USSR | G | | | A/F near NAU; grass surface; l a/c, 2 poss u/i a/c |
| 328 | 6 | 94 - 95 | | 40 | 69 | USSR | G | | | U/i small industries; marshalling yard with "Y" turnaround |
| 328 | 6 | 95 - 98 | | 40 | 69 | USSR | F | | | NAU |
| 328 | 6 | 101- 103 | | 40 | 69 | USSR | G | | | Mining; small storage areas |
| 328 | 6 | 112- | | 40 | 69 | USSR | G | | | New housing areas |
| SPB F | orm I | O (Revi | ised) | | | L | | | | D 11 c 02 |

SPB Form 10 (Revised)

Page 4 of 23

Approved For Release 2000/1998/F4CRETACRES89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photogr | aphy <u>28 August 1957</u> | Report No | HTA-MCS-29-57 | |
|-----------------|----------------------------|-------------|---------------|--|
| Date of Report_ | 10 September 1957 | Mission No. | в 4058 | |

| WAC | F | Photo I | dent. | Coordi | nates | Cauntur | l . | 다 두 | | O o vi-ski-s- |
|--------|--------|---------------------|-------|--------|---------|---------|------------|--------|------|---|
| BE No. | Cam. | Ехр. | Time | Lat. N | Long. E | Country | Jua | Pho' | Ref. | Description |
| 328 | 6 | 134- 137 | | 40 | 69 | USSR | G | | | Mining |
| 328 | 6 | 137- 140 | | 40 | 69 | USSR | G | | | Prob town of TABOSHAR; mining |
| 328 | 6 | 138- 140 | | 40 | 69 | USSR | G | | | Revetted storage area containing 7 bldgs with single fence and prob tank; processing and/or loading plant |
| 328 | 6 | 178- 180 | | 41 | 69 | USSR | G | | | GAZZIKENT; prob hydroelectric plant; canal from this city down to CHIRCHIK |
| 328 | 6 | 180- 184 | | 41 | 69 | USSR | G | | | CHIRCHIK; large hydroelecrtic plant; prob training area appears to have tents and holes arranged in a rectangular manner; poss trenches and fox |
| | | | | | | | | | | holes; motor-pool area with approx 25 poss artillery pieces (see camera 7, exposures 181-185) |
| 328 | 6 | 190 - 195 | | 41 | 69 | USSR | G | 1 | | SHARAPKHANA; prob machine- tractor station |
| 328 | 6 | 213 | | 42 | 69 | USSR | G | | | Town, poss PERVOYE MAYA (far oblique) |
| 328 | 6 | 221 - 226 | | 42 | 68 | USSR | G | | | Canal u/c |
| 328 | 6 | 226 - 229 | | 42 | 69 | USSR | G | | | Prob KUL'TOBE; canal u/c |
| SPB F | Form 1 | O (Rev | ised) | | | | | | | Page <u>5</u> of <u>23</u> |

TOP SECRET CHESS Approved For Release 2000/09/4 4 REHATROP89B00551R000700070001-6

MISSION COVERAGE SUMMARY

| Date o | f Photograp | hy <u>28 August 1957</u> | _Report No | HTA-MCS-29-57 |
|--------|-------------|--------------------------|------------|---------------|
| Date o | f Report | LO September 1957 | Mission No | в 4058 |

| WAC 8 | F | Photo I | dent. | Coordi | nates | Country | al. | Photo Point | | Description |
|----------|--------|---------------------|-------|--------|---------|---------|-------|----------------|------|---|
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | | Qual. | Po | Ref. | • |
| 328 | 6 | 694 - 696 | | 43 | 68 | USSR | G | | | SHORNAK |
| 328 | 6 | 700- 701 | | 43 | 68 | USSR | G | | | BORISOVKA; RR yard; poss rail and vehicles repair facilities; POL storage |
| 328 | 6 | 700- 701 | | 43-17 | 68-13 | USSR | G | | | Turkestan A/F; sod surface runway 3,000' x 120'; no a/c visible; poss 3-station- type GCA connected with A/F |
| 328 | 6 | 701 - 702 | | 43 | 68 | USSR | G | | | TURKESTAN (see camera 7, exposures 701-702) |
| 328 | 6 | 712 - 719 | | 43 | 67 | USSR | G | | | Salt mining |
| 328 | 6 | 727 - 728 | | 42 | 68 | USSR | G | | | Canal u/c |
| 328 | 6 | 730- 734 | | 42 | 68 | USSR | G | | | Canal u/c |
| 328 | 6 | 740- 742 | | 42 | 69 | USSR | G | | | PERVOYA MAYA; 2 continuous- span RR bridges |
| 328 | 6 | 768- 769 | | 41 | 69 | USSR | G | | | U/i village; prob machine- tractor station |
| 328 | 6 | 774- 778 | i A | 41 | 69 | USSR | G | | | Military camp and training area; many vehicles, tents, and trenches; approx 100 gun positions, occupied and unoccupied; poss rocket-launching equipment; poss "Token" radar |
| SPB | rorm I | O (Rev | ised/ | | | | | | | Page 6 of 23 |

SPB Form 10 (Revised)

Page <u>6</u> of <u>23</u>

Approved For Release 2000/09/E4RETAGRE989B00551R000700070001-6 CIA/RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | _Report No | HTA-MCS-29-57 |
|---------------------|----------------|-------------|---------------|
| Date of Report | September 1957 | _Mission No | в 4058 |

| | | • | | | | | | | | |
|----------|--------|---------------------|-------|-------------|----------------|---------|----|------------|------|---|
| WAC 8 | F | Photo I | dent. | Coordinates | | Country | ال | oto nt | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | Ö | Phc Poi | Ref. | |
| 328 | 6 | 775 - 779 | | 4 <u>1</u> | 69 | USSR | G | | | CHIRCHIK; several industrial plants (see camera 7, exposures 181-185 and camera 6, exposures 180-184) |
| 328 | 6 | 775 - 780 | | 41 | 69 | USSR | G | | | 6 hydroelectric plants along canal |
| 328 | 6 | 776 - 777 | | 41.~30 | 69-35 | USSR | G | | | Chirchik A/F (see camera 7, exposures 182-183) |
| 328 | 6 | 777 - 778 | | 41-27 | 69-31 | USSR | G | | | POINTERATSKIF A/F; natural- surface landing area; no a/c observed; field appears inoperative |
| 328 | б | 777 - 778 | | 41-28 | 69 - 29 | USSR | G | | | Chirchik A/F Northeast; natural-surface landing area; no a/c observed; field appears inoperative |
| 328 | 6 | 783- 784 | | 41-20 | 69-32 | USSR | G | | | Sod landing area near DZHUMABAZAR; a/c: one poss Creek |
| 328 | 6 | 788 - 790 | | 41 | 69 | USSR | G | | | Sod landing area; a/c: one poss Creek |
| 328 | 6 | 788- 798 | | 41 | 69 | USSR | G | | | Power lines running parallel from CHIRCHIK area to the KUL ⁰ ATA mining area |
| 328 | 6 | 790 - 791 | | 41 | 69 | USSR | G | | | DF communications station (far oblique) |
| 328 | 6 | 796~ 797 | | 40 | 69 | USSR | G | | | AKHAN-GARAN |
| 600 | - m- 1 | O (Pau | icod) | | | | | | | |

SPB Form 10 (Revised)

Page _7_ of _23_

Approved For Release 2000/89864CR&TAGRES89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photograp | hy <u>28 August 1957</u> | Report No. HTA-MCS | -29-57 |
|-------------------|--------------------------|--------------------|--------|
| Date of Report 10 | September 1957 | Mission No. B 4058 | |

| | • | | | | | | | | | |
|----------|------|---------------------|--------|--------|---------|---------|-----|----------------|------|---|
| WAC & | | Photo I | dent. | Coordi | nates | Country | al. | Photo Point | ξ | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | Ö | Ph. Poi | Ref. | • |
| 328 | 6 | 799 | | 40 | 69 | USSR | G | | | Two double-fenced secured storage areas, poss explosives storage |
| 328 | 6 | 798 - 800 | | 40 | 69 | USSR | G | | | KUL'ATA; extensive mining activity; prob new therm- electric power plant u/c; large transformer yard; poss ore-processing plant u/c; |
| | | | | | | | | | | numerous power lines through- out area, some u/c; several industrial plants; numerous drill scars; new construction (see camera 7, exposures 138- 143) |
| 328 | 6 | 800- 802 | | 40 | 69 | USSR | G | | | 2 large poss explosives- storage areas: 1 w/4 large revetted bldgs and 6 small revetted bldgs; the other w/5 large revetted bldgs and 8 smaller revetted bldgs |
| 328 | 6 | 802- 807 | | 40 | 69 | USSR | G | | | Cableway leading from mine to poss primary processing site; drill scars; new construction at mining area |
| 328 | 6 | 807- 809 | | 40 | 69 | USSR | G | | | TABOSHAR: mining activity; many drill scars; 1 occupied 8-gun heavy AA battery; poss ore processing (see camera 7, exposure 809) |
| 328 | 6 | 809 - 811 | | 40 | 69 | USSR | G | | | Many small mining settlements; drill scars |
| 328 | 6 | 812 - 813 | | 40 | 69 | USSR | P | , | | TAKELI (far oblique) |
| 328 | 6 | 812- 815 | | 40 | 69 | USSR | G | | | Power line, prob newly constructed |
| 328 | 6 | 818- 823 | | 40 | 69 | USSR | G | | | Power line |
| | | IO (Pa | ilaad) | _L | J | | 1 | 1 | .1 | Page 8 of 23 |

SPB Form 10 (Revised)

Page 8 of 23

Approved For Release 2000/89% E-CRETA-CRES89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photogra | phy28 August 1957 | Report No | HTA-MCS-29-57 |
|------------------|-------------------|------------|---------------|
| Date of Report | 10 September 1957 | Mission No | в 4058 |

| | | | | | | , | r | | , | |
|-----------|------|---------------------|--------|--------|---------|---------|-----------|----------------|------|--|
| WAC 8a | F | Photo I | dent. | Coordi | nates | Country | <u>ار</u> | 함 | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | | Qual | Photo Point | Ref. | |
| 328 | 6 | 822 | | 40 | 69 | USSR | G | | | GULYAKONDOZ |
| 328 | . 6 | 822 - 823 | | 40 | 69 | USSR | G | | | PROLETARSK; small industries |
| 328 | 6 | 822 - 823 | | 40 | 69 | USSR | F | | | Small double-fenced secured area w/revetted buildings |
| 328 | 6 | 822 - 823 | | 40 | 69 | USSR | F | | | BEGOVAT; poss rail repair plant, hydroelectric power plant, irrigation-canal system, new construction, dam w/control gates (see camera 7, exposures 99-102 |
| 328 | 6 | 823 | | 40 | 69 | USSR | G | | | NAU |
| 328 | 6 | 848 - 850 | | 40 | 70 | USSR | G | | | Mining; poss thermal- electric power plant (far oblique) |
| 328 | 6 | 851 - 853 | | 40 | 70 | USSR | G | | | Oil field w/many drilling rigs; u/i oil processing plant |
| 328 | 6 | 851 - 853 | | 40 | 70 | USSR | P | | | ISFARA (far oblique) |
| 328 | 6 | 858- 861 | | 40 | 70 | USSR | F | | | Mining development and poss primary processing done at site |
| 328 | 6 | 867 - 869 | | 40 | 70 | USSR | F | | | KOKAND; locomotive repair; chemical plant; new construction |
| SPR | Form | IO (Rev | vised) | | | | | | | Page 9 of 23 |

SPB Form 10 (Revised)

Page 9 of 23

Approved For Release 2000/698/ΕΛ. RETA (R. 1258/9800551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photogr | caphy 28 August 1957 | Report NoHTA-MC | S-29-57 |
|-----------------|----------------------|------------------|---------|
| Date of Report. | 10 September 1957 | Mission NoB 4058 | l |

| | · | • | | | | • | | · | | |
|----------|--------|---------------------|-------|--------|----------------|-----------|----|----------------|------|--|
| WAC & | F | Photo | dent. | Coordi | nates | Country | 9. | oto nt | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | , , , , , | ŏ | Photo Point | Ref. | , , , , , , , , , , , , , , , , , , , |
| 328 | 6 | 867 - 869 | | 40-32 | 70-59 | USSR | F | | | Kokand A/F; sod runway; no a/c visible |
| 328 | 6 | 885 - 887 | | 40 | 71 | USSR | F | X- | | 450° continuous-span bridge across canal near KOKAND |
| 328 | - | 889- 891 | | 40-59 | 71 - 32 | USSR | F | | | A/F near TYURYA-KURGAN; sod landing area 6,000' x 2,500'; a/c: 3 Colt, 2 Creek, 2 u/i s/e liaison type |
| 328 | 6 | 892 | | 40 | 71 | USSR | P | | | NAMAGAN; (heavy cloud over) |
| 328 | 7 | . 9 7- 99 | | 40 | 69 | USSR | G | | | Strip mining |
| 328 | 7 | 99 - 102 | | 40 | 69 | USSR | G | | | BEGOVAT; heavy industry; power plant, steel works; irrigation and flood control gates, one 480 feet long, another 300'; quarries; saw- |
| | | | | · | | 1 | | | | mill; explosives-storage area; one steel-truss RR bridge approx 400' long; one beam- type highway and RR bridge 650' long (see camera 6, exposures 822-823) |
| 328 | 7 | 110- 111 | | 40 | 69 | USSR | G | | | Sod landing area 2,100' x 650'; a/c: 1 liaison type |
| 328 | 7 | 115 | | 40 | 68 | USSR | G | | ۰ | MIRZACHUL'; agriculture storage |
| 328 | 7 | 115 - 116 | , | 40 | 68 | USSR | G | | | Sod landing area 2,000' x 600'; no a/c visible |
| SPB F | Form I | O (Rev | ised) | | | | | • | | Page 10 of 23 |

SPB Form 10 (Revised)

Page _10_ of 23_

Approved For Release 200009/\$4CRHA-REP89B00551R000700070001-6 CIA/RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography28 August 1957 | _Report No | HTA-MCS-29-57 |
|-----------------------------------|------------|---------------|
| Date of Report 10 September 1957 | Mission No | в 4058 |

| | - | | | | | | - · · · · · · · · | | | |
|----------|-------|---------------------|--------|--------|---------|--------|-------------------|----------------|------|--|
| WAC & | 1 | Photo | ldent. | Coordi | nates | | T_: | ے ہ | | |
| BE No. | Cam. | Ехр. | Time | Lat. N | Long. E | Countr | Oud. | Photo Point | Ref. | Description |
| 328 | 7 | 119- 120 (| | 40 | 68 | USSR | G | u u | L. | Sod landing area 1,700' x 320'; a/c: 1 liaison type |
| 328 | 7 | 134 - 140 | | 40 | 69 | USSR | G | | | New road leading to KUL'ATA |
| 328 | 7 | 138- 143 | | 40 | 69 | USSR | G | | | KUL'ATA; newly developed area including extensive mining activity, transformer yards, prob thermal-electric power plant u/c with a very tall stack and equally tall steel-lattice-work cooling tower u/c; large rail network serving area, large unusual excavations |
| 328 | 7 | 140- 142 | | 40 | 69 | USSR | G | | | very regular in shape (see camera 6, exposures 798-800) AKHAN-GARAN |
| 328 | 7 | 181- 185 | | 41. | 69 | USSR | G | | | CHIRCHIK; 2 hydroelectric plants; chemical plant; agriculture equipment plant; ammunition storage; artillery training area; storage; beam- |
| · | | | | | | - | | | | type highway bridge approx 550' long; military storage warehouses (see camera 6, exposures 180-184 and 775- 779) |
| 328 | 7 | 182 - 183 | | 41-30 | 69-35 | USSR | G | | | Chirchik A/F; 1 graded-earth runway approx 9,000' x 275' (incl overrun); 1 graded-earth runway u/c approx 7,600' x 220' (incl overrun); both runways approx ENE/WSW; POL |
| | | , | - | | | | | | | storage; prob ammunition storage; a/c: 6 Beagles, 40 Fagot/Fresco type, 2 u/i jet fighters, 5 Hares, 3 poss Hares |
| 328 | 7 | 207-209 | | 42 | 68 | USSR | G | | | MONTAY TASH; machine-tractor station |
| SPB Fo | rm 10 | (Revis | ed) | | | | | | | D 17 600 |

Page 11 of 23

Approved For Release 2000/89864CR&TAGR0989B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography. | 28 August 1957 | Report No | HTA-MCS-29-57 | |
|----------------------|----------------|------------|---------------|--|
| | | • | | |
| Date of Report10 | September 1957 | Mission No | в 4058 | |

| | | | ***** | | | • | | | | i i |
|----------|------|---------------------|-------|--------|---------|---------|------|----------------|------|--|
| WAC 8 | F | Photo I | dent. | Coordi | nates | Country | = | oto m | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | | Qual | Photo Point | Ref. | Description |
| 328 | 7 | 219 - 222 | | 42 | 68 | USSR | G | | | ARYS; RR yards and shops with approx 20 tracks; POL storage; prob ammunition storage area approx 3,500° x 5,800° with fencing, guard towers and 27 |
| | | | | | | | | | | large warehouses, area served by rail and road; u/i plant and storage area approx 3,000° x 1,100° with fencing, guard towers, 2 large barrel- vault-roof bldgs, 4 large |
| - | | | | | , t | | | | 4 | warehouses, 2 large odd-shaped bldgs, 6 smaller gable-roof bldgs, and 3 poss earth- covered tanks, area served by road only; u/i storage area |
| | | | | | | | | | | approx 1,750' x 2,050', with fencing, guard posts, 8 gable- roof bldgs and approx 6 other bldgs u/c, 2 or 3 poss vertical storage tanks and associated bldgs in wooded |
| | | | | | | | | | | section outside of fenced area, storage area served by road |
| 328 | 7 | 224 - 225 | - | 42 | 68 | USSR | G | | | RR bridge crossing Arys River; 3-span truss approx 700° long |
| 328 | 7 | 235 - 237 | | 42 | 68 | USSR | G | | | TIMUR; prob tractor-repair station |
| 328 | 7 | 668 - 670 | , | 43 | 67 | USSR | G | | | Prob machine-tractor station at YANY-KURGAN; small RR siding |
| 328 | 7 | 701 - 702 | - | 43 | 68 | USSR | G | | | TURKESTAN (partial coverage); major portion of town on vertical coverage appears to have been razed (see camera 6, exposures 701-702) |
| 328 | 7 | 728 - 729 | | 42 | 68 | USSR | G | | | Large irrigation dam and canal system u/c at KAL'TOBE |
| 200 | | | : 4\ | | | · | | J | | |

SPB Form IO (Revised)

Page 12 of 23

Approved For Release 2000/898f4CR&TACRDE89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No | HTA-MCS-29-57 |
|---------------------|----------------|-------------|---------------|
| Date of Report10 | September 1957 | .Mission No | в 4058 |

| | T | | • | | | y | · | | | |
|----------|--------|---------------------|-------|--------|---------|----------|---|----------------|------|---|
| WAC & | F | Photo I | dent. | Coordi | nates | Country | 崩 | 발 | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | | ŏ | Photo Point | Ref. | 5000 Ip 11011 |
| 328 | 7 | 744- 746 | | 42-20 | 69-32 | USSR | G | | | Chimkent A/F; 1 paved runway 8,000' x 190'; 1 parallel graded earth runway 6,700' x 260'; a/c: 1 Colt, 1 Creek, 29 MIG-type, 1 u/i s/e liaison; prob repair facilities; 1 long revetted hardstand; GCA installation off NW end of runway |
| | | | | | | | | | | + |
| 328 | 7 | 747 - 750 | | 42 | 69 | USSR | ъ | | | CHIMKENT; RR marshalling yard, metallurgical plant, thermal electric power plant, machine- tractor station, rail-served poss metal-fabrication plant, several light industries, POL storage area, poss chemical plant u/c; major industrial |
| | | | | | | | | | | expansion u/c SE of town |
| 328 | 7 | 749 - 750 | | 42-17 | 69-37 | USSR | G | | | A/F SE of CHIMKENT; sod land- ing strip 4,800' long, a/c: 7 Colts, 3 Creeks, 9 Mules |
| 328 | 7 | 755 | | 42 | 69 | USSR | G | | | Maximum security explosives- storage area, near LENGER |
| 328 | 7 | 755 - 756 | | 42 | 69 | USSR | G | | | LENGER; several mines; end of RR spur |
| 328 | 7 | 756 | | 42 | 69 | USSR | G | | | Poss electronics installation; 3 tall masts spaced approx 2,000' apart in from of isosceles triangle; small bldg near one mast |
| 328 | 7 | 774 - 775 | | 41 | 69 | USSR | G | | | U/i town W of GAZZIKEMT; small u/i industry at end of RR spur from CHIRCHIK |
| 328 | 7 | 774 - 775 | | 41 | 69 | USSR | G | | | Irrigation dam and canal |
| SPB F | Form l | O (Rev | ised) | ·I | | | i | | LI | Page 13 of 23 |

Page <u>13</u> of <u>23</u>

Approved For Release 200009844CREA-RES9B00551R000700070001-6

MISSION COVERAGE SUMMARY

| Date of Photography <u>28 A</u> | ugust 1957 Report | No. HTA-MCS-29-5 | 57 |
|---------------------------------|-------------------|------------------|----|
| Date of Report10 Septemb | er 1957 Mission | No B 4058 | |

| | | | | | | (VI | .551 | O11 140. | | |
|----------|-------|---------------------|--------|--------|---------|---------|------------|----------------|------|--|
| WAC & | | Photo | ldent. | Coordi | nates | Country | <u>, =</u> | 우 눈 | | Dogovintio- |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | On O | Photo Point | Ref. | Description |
| 328 | 7 | 775- 776 | | 41 | 69 | USSR | G | | | Hydroelectric plant and transformer yard (see camera 6, exposures 775-780) |
| 328 | 7 | 78 8- 789 | | 41 | 69 | USSR | G | | , | U/1 town prob of fairly recent origin; secured storage area; poss new housing development for workers in mining area nearby |
| 328 | 7 | 789 - 790 | | 41 | 69 | USSR | G | | | Mining; several shaft mines; secured explosives-storage area |
| 328 | 7 | 795 - 796 | - | 40 | 69 | USSR | G | | | Maximum security area near u/i town east of AKHAN-GARAN |
| 328 | 7 | 796 - 797 | | 40 | 69 | USSR | G | | | RR marshalling yard east edge of AKHAN-GARAN; prob coal fueling station |
| 328 | 7 | 799 - 800 | | 40 | 69 | USSR | G | | | Open-pit mining near KUL'ATA; secured revetted explosives- storage area; 1 maximum secured area |
| 328 | 7 | 800- 803 | | 140 | 69 | USSR | G | | | Mining exploration diggings |
| 328 | 7 | 805 - 806 | | 40 | 69 | USSR | G | | | Mining exploration diggings |
| 328 | 7 | 808- 809 | | 40 | 69 | USSR | F | | | Electric power substation |
| 328 | 7 | 809 | | 40 | 69 | USSR | G | | | 8-gun AA emplacement; partial coverage of TABOSHAR (see camera 6, exposures 807-809); 1 poss 8-gun AA emplacement near electric power substation |
| SPB Fo | rm IC |) (Revis | ed) | | | | | | | . 1 |

SPB Form 10 (Revised)

Page 14 of 23

Approved For Release 2000/89%E4CR&TAGREE889B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography28 August | 1957 Report No | HTA-MCS-29-57 | |
|----------------------------------|----------------|---------------|--|
| Date of Report 10 September 1957 | Mission No | в 4058 | |

| | | | | | | 1711 | J310 | <i>/</i> // 140. | | *************************************** |
|----------|--------|---------------------|--------|-----------------|---------|---------|----------|------------------|------|--|
| WAC & | | Photo | ldent. | Coordi | nates | Country | <u>-</u> | 유 | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | Š | Photo Point | Ref. | Description |
| 328 | 7 | 809- 811 | | 40 | 69 | USSR | G | | | U/i town near TABOSHAR; mining activity; primary ore processing; secure area; many mining exploration diggings in vicinity |
| 328 | 7 | 809 - 816 | | 40 | 69 | USSR | G | | | New road between TABOSHAR and LENINABAD, paved for about 1/2 the distance; heavy movement of vehicles noted |
| 328 | 7 | 812- 814 | | 40 | 69 | USSR | G | | | CHORUKH-DAYRON; some new construction; mining activity and exploration diggings in vicinity |
| 328 | 7 | 816 - 819 | | 40 | 69 | USSR | G | | | LENINABAD; 2 pontoon bridges (approx 600' each) across Syr-Dar'ya River; industrial expansion evident; maximum security explosives-storage area; large prob military |
| | | | | | | | | | | training and storage area; at least eight 8-gun AA emplace- ments; POL storage; large open storage area; several secured areas; RR spurs into city |
| | | | | | | | | | | proper; several high tension power lines in vicinity; poss uranium-ore processing plant |
| 328 | 7 | 821- 822 | | 40 | 69 | USSR | G | | | Poss brick yard with rail spurs at PROLETARSK (see camera 6, exposures 822-823) |
| 328 | 7 | 851 - 853 | | ¹ 4O | 70 | USSR | F | | | RR marshalling yard near KANIBADAM |
| 328 | 7 | 852- | | 40 | 70 | USSR | G | | | Bridge across Syr-Dar'ya River u/c (see camera 8, exposure 852) |
| 328 | 7 | 853 - 854 | | 40 | 70 | USSR | G | | | Rail-served, secured, storage area u/c, near KANIBADAM |
| SPB F | orm IC |) (Revi | sed) | · | L | | | | | - 25 |

SPB Form 10 (Revised)

Page <u>15</u> of <u>23</u>

Approved For Release 2000/89864CR&TACRDE89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photogra | phy <u>28 August 1957</u> | Report No | HTA-MCS-29-57 |
|------------------|---------------------------|------------|---------------|
| Date of Report | 10 September 1957 | Mission No | в 4058 |

| | | | | | | | | | T | |
|----------|--------|---------------------|-------|--------|---------|---------|-----|----------------|----------|---|
| WAC & | F | Photo I | dent. | Coordi | nates | Country | al. | oto | ٠ | Description |
| BE No. | Cam. | | Time | | Long. E | | Ö | Photo Point | Ref. | |
| 328 | 7 | 853 - 855 | | 40 | 70 | USSR | o o | | , | Rail-served, secured industry, poss chemical processing, near KANIBADAM |
| 328 | 7 | 857 - 858 | | 40 | 70 | USSR | G | | | Rail-served, u/i, secured storage area, appears u/c; large marshalling yard u/c adjacent to storage area |
| 328 | 7 | 859 - 861 | | 40 | 70 | USSR | G | | | Rail-served secured storage area, poss being expanded; small marshalling yard adjacent; poss liquefied gas storage nearby |
| 328 | 7 | 863 - 864 | | 40 | 70 | USSR | G | | | Small secured storage area adjacent to RR siding |
| 328 | 7 | 891 - 892 | | 41 | 70 | USSR | G | | | Bombing target; old bomb craters |
| 328 | 8 | 97 - 99 | · | 40 | 69 | USSR | G | | | YAKHTAN |
| 328 | 8 | 98 - 99 | | 40 | 69 | USSR | G | | | U/i town |
| 328 | 8 | 102 - 103 | | 40 | 69 | USSR | G | | | BEGOVAT; hydroelectric power plant (see camera 7, exposures 99-102) |
| 328 | 8 | 102- 103 | | 40 | 69 | USSR | G | | | Deam |
| 328 | 8 | 103- 105 | | 40 | 69 | USSR | G | | | Deam. |
| SDP | Form 1 | O (Pay | icad) | | | | | | | D 16 -4 22 |

SPB Form 10 (Revised)

Page <u>16</u> of <u>23</u>

Approved For Release 2000/89%f4CR&TACR09889B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photograph | y 28 August 1957 | Report No. | HTA-MCS-29-57 |
|--------------------|-------------------|------------|---------------|
| Date of Report | 10 September 1957 | Mission No | в 4058 |

| WAC 8a | 1 | Photo I | dent. | Coordi | nates | Country | <u>-</u> | oto nt | | Description | |
|-----------|------|---------------------|-------|--------|---------|---------|----------|------------|------|---|--|
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | | õ | Pho Poi | Ref. | | |
| 328 | 8 | 105 - 107 | | 40 | 69 | USSR | G | | 2 | Poss landing ground | |
| 328 | 8 | 106- 108 | | 40 | 69 | USSR | G | | | Poss military camp area; approx 75 tents | |
| 328 | 8 | 107 - 109 | , | 40 | 68 | USSR | G | | | URSUT'YEVSKAYA; far oblique; large marshalling yards | |
| 328 | 8 | 109 - 111 | | 40 | 68 | USSR | G | | | Large storage area with 10 RR sidings; misc u/i industries | |
| 328 | 8 | 111- 113 | - 10 | 40 | 68 | USSR | G | | | Small u/i storage area; 18 bldgs | |
| 328 | 8 | 119- 120 | | 40 | 68 | USSR | G | | | Poss ammunition storage with 18 poss revetted bldgs within secured area | |
| 328 | 8 | 120 - 121 | | 40 | 68 | USSR | G | , | | SYR-DAR'INSKTY; marshalling yard; misc u/i industries | |
| 328 | 8 | 120 - 121 | · | 40-49 | 68-41 | USSR | G | | | A/F at SYR-DAR'INSKIY; sod landing area | |
| 328 | 8 | 134- 135 | | 41 | 69 | USSR | G | | | PSKENT; small storage areas | |
| 328 | 8 | 134- 136 | | 41 | 69 | USSR | G | | | TOY-TYUBE; small storage area; poss mining area | |
| COD D | | A /Da. | | | | | | | | | |

SPB Form 10 (Revised)

Page <u>17</u> of <u>23</u>

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No | HTA-MCS-29-57 | |
|----------------------|----------------|------------|---------------|--|
| Date of Report 10 Se | eptember 1957 | Mission No | в 4058 | |

| WAC & | F | Photo I | dent. | Coordi | Coordinates | | <u>-</u> : | ot t | | Description |
|----------|------|---------------------|-------|--------|-------------|---------|------------|----------------|------|--|
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | Oğr | Photo Point | Ref. | Description |
| 328 | 8 | 140- 142 | | 41 | 69 | USSR | G | | | PISTALI |
| 328 | 8 | 153 - 159 | | 41 | 70 | USSR | G | | | ANGREN; large built-up area; thermal power plant; storage facilities; strip-mining; prob ore-processing plant |
| 328 | 8 | 163 - 165 | - | 41 | 70 | USSR | G | | | U/i small mining camp and mining area |
| 328 | 8 | 175 - 176 | | 41 | 69 | USSR | G | | ٨ | U/i small housing project |
| 328 | 8 | 176 - 178 | | 41 | 69 | USSR | G | | | PARKENT |
| 328 | 8 | 179- 181 | * | 41 | 69 | USSR | G | | | U/i small industries; poss hydroelectric power plant |
| 328 | 8 | 181- 183 | | 41 | 69 | USSR | G | | | CHIRCHIK; thermal power plant; u/i industry; small mining area (see camera 7, exposures 181-185) |
| 328 | 8 | 183- 186 | | 41-18 | 69-20 | USSR | P | | | Tashkent A/F (on far oblique); approx 25 u/i a/c visible; aircraft factory adjacent to A/F |
| 328 | 8 | 183- 189 | | 41 | 69 | USSR | P | · | | TASHKENT (partial coverage on far oblique); 3 hydroelectric plants |
| 328 | 8 | 191- 192 | | 41 | 69 | USSR | G | | | Strip mining; prob fenced explosives storage area with 2 bldgs |
| | | | | | | | | | | |

SPB Form IO (Revised)

Page <u>18 of 23</u>

Approved For Release 2000/098f4CRETACR0989B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No | HTA-MCS-29-57 | |
|---------------------|----------------|------------|---------------|--|
| Date of Report | September 1957 | Mission No | в 4058 | |

| · · | Jule U | i Nepui | 1 | | | (V) (: | 55 fC | JII INO. | | |
|----------|--------|---------------------|-------|--------|---------|---------|---------------|----------------|------|--|
| WAC & | | Photo I | dent. | Coordi | nates | Country | Country - 2 + | 우 = | | Dosovintion |
| BE No. | Cam. | Ехр. | Time | Lat. N | Long. E | Country | 90 | Photo Point | Ref. | Description |
| 328 | 8 | 667 - 669 | | 43 | 67 | USSR | F | | | 3 storage bldgs within fenced area |
| 328 | 8 | 699 - 704 | | 43 | 68 | USSR | F | | | MIRGALIMSAY; extensive mining activity with 2 explosives- storage areas |
| 328 | 8 | 708 | | 43 | 68 | USSR | Ρ. | | | KAUCHUKPROMKHOZ; mining |
| 328 | 8 | 744- 747 | | 42 | 69 | USSR | F | | | SAS-TYUBE; agricultural town |
| 328 | 8 | 748 - 750 | | 42 | 69 | USSR | F | | | BELYYE-VODY; agricultural town |
| 328 | | 755 | - | 42 | 69 | USSR | F | | | Mining |
| 328 | 8 | 783 - 784 | | 41 | 69 | USSR | F | | | Mining |
| 328 | 8 | 792 - 794 | | 40 | 70 | USSR | P | | | ABLYK |
| 328 | 8 | 815 - 817 | | 40 | 69 | USSR | F | | | Dam and prob power plant on Syr-Dar'ya River; numerous storage facilities (see camera 8, exposures 840-841) |
| ,328 | 8 | 817- 818 | · | 40 | 69 | USSR | F | | | Double-fenced prob explosives- storage area |
| CDD E | I | O (Boy) | isod\ | · | | | | | | |

SPB Form 10 (Revised)

Page 19 of 23

Approved For Release 2000/09/E-CRETIA-RIDB89B00551R000700070001-6 CIA/RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No | HTA-MCS-29-57 | |
|---------------------|----------------|-------------|---------------|--|
| Date of Report | September 1957 | _Mission No | в 4058 | |

| | | | ···· | | | | | | | |
|----------|------|---------------------|-------|--------|---------|---------|-----|-------------|------|--|
| WAC 8 | F | Photo I | dent. | Coordi | nates | Country | - | to t | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | Qua | Pho Poir | Ref. | Description |
| 328 | 8 | 818- 819 | | 40 | 69 | USSR | F | - | | LENINABAD; poss military barracks and storage area (see camera 7, exposures 816- 819) |
| 328 | 8 | 818- 819 | | 40-14 | 69-44 | USSR | F | | | Leninabad A/F; sod surface landing ground 4,500° long; no a/c visible |
| 328 | 8 | 818 - 820 | | 40 | 69 | USSR | F | | | CHKALORSKIY (see camera 8, exposures 837-839 below) |
| 328 | 8 | 818 - 820 | | 40 | 69 | USSR | F | | | Four 8-gun heavy AA positions |
| 328 | 8 | 837 - 839 | | 40 | 69 | USSR | P | | | CHKALORSKIY (see camera 8, exposures 818-820 above) |
| 328 | 8 | 840- 841 | | 40 | 69 | USSR | P | | | Dam and prob power plant (see camera 8, exposures 815- 817 above) |
| 328 | 8 | 852 | | 40 | 70 | USSR | P | | | Beam-type road bridge u/c, approx 900' long; (see camera 7, exposure 852) |
| 328 | 8 | 870- 871 | | 40 | 70 | USSR | P | | | Prob beam-type road bridge approx 700° long |
| 336 | 6 | 12 - 13 | | 37 | 68 | USSR | G | | | Storage area with rail sidings |
| 336 | 6 | 18- 20 | | 38 | 69 | USSR | G | | | SANG-TUDA; village |

SPB Form 10 (Revised)

Page <u>20</u> of <u>23</u>

Approved For Release 200009842CRETA-CRESS9B00551R000700070001-6 CIA/RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photography | 28 August 1957 | Report No | HTA-MCS-29-57 | |
|---------------------|----------------|------------|---------------|--|
| Date of Report | September 1957 | Mission No | в 4058 | |

| WAC & | | Photo | ldent. | Coord | Coordinates | |]_ | و ج | | |
|----------|-------|-----------------------|--------|--------|-------------|---------|----|----------------|------|--|
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | 18 | Photo Point | Ref. | Description |
| 336 | 6 | 24 - 27 | | 38 | 69 | USSR | F | | | Much track activity |
| 336 | 6 | 33 - 36 | | 38 | 69 | USSR | G | | | ORDZHANIKIDZEABAD; POL storage; u/i industry |
| 336 | · 6 | 1020- 1022 | | 39 | 71 | USSR | G | | | DZHIRGATAL' |
| 336 | 6 | 1074- 1075 | | 38 | 70 | USSR | F | | | MUMINABAD; poss machine- tractor station |
| 336 | 6 | 1099 - 1102 | | 37-54 | 69-45 | USSR | F | | | Kulyab A/F; sod landing area; a/c: 1 poss Creek |
| 336 | 6 | 1099- 1102 1119 | | 37 | 69 | USSR | F | | | KULYAB; poss military camp and training area; several small industrial plants |
| 336 | 7 | 3 | | 37 | 68 | USSR | G | | | KAGANOVICHABAD; new construction evident |
| 336 | 7 | 7 - 8 | | 37 | 68 | USSR | G | | | VAKHSHSTROY; new construction evident through out area; prob hydroelectric plant u/c |
| 336 | 7 | 10- | | 37 | 68 | USSR | G | | | OKTYABR'SK; some new construction in general area |
| 336 | 7 | 12- | | 37 | 68 | USSR | G | | | Hydroelectric plant on canal |
| SPB Fo | orm I |) (Revi | sed) | | | | | | | |

SPB Form 10 (Revised)

Page <u>21</u> of <u>23</u>

Approved For Release 2000/89%E4CR&TAGREE889B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date o | f Photography | 28 August 1957 | _Report | No | HTA-MCS-29-57 |
|--------|---------------|----------------|---------|----|---------------|
| | | | · | | в 4058 |

| - | | ******* | | | | | | 1 | | | |
|-----------|-------|---------------------|--------|--------|---------|---------|------------|----------------|------|---|--|
| WAC 8k | | Photo | ldent. | Coordi | nates | Country | <u>=</u> : | \$ ≠ | | Dogovintica | |
| BE No. | Cam. | Ехр. | Time | Lat. N | Long. E | Country | Qua | Photo Point | Ref. | Description | |
| 336 | 7 | 32 - 35 | | 38 | 68 | USSR | G | | | KOKTASH; large fenced communications installation 6,000' x 2,000'; 2 large communications bldgs, 27 lattice-type towers, 4 large | |
| | | | | | | | | | | masts | |
| 336 | 7 | 35 - 37 | | 38-33 | 68-48 | USSR | G | | | Stalinabad A/F; sod landing area 5,000' long; a/c: 4 Cabs, 5 Crates, 3 Colts, 6 Mules, 2 Creeks | |
| 336 | 7 | 35 - 39 | | 38 | 68 | USSR | G | | | STALINABAD; industrial complex; power plant; radio station; ammunition storage; new construction activity; military barracks and training activity | |
| 336 | 7 | 41 - 42 | | 38 | 68 | USSR | F | | | Irrigation and flood-control dams | |
| 336 | 7 | 88 - 89 | | 39 | 69 | USSR | G | | | SULYUKTA; coal mine, explosives storage, mining exploration diggings | |
| 336 | 7 | 827 - 829 | | 39 | 69 | USSR | G | | · | SULYUKTA area; evidence of new residential expansion; RR marshalling yard; secured electric substation; mining activity with numerous shaft | |
| | | | | | | | | | | mines, most rail-served | |
| 336 | 7 | 1047- 1048 | | 38 | 70 | USSR | G | | | Border town KALAI KHUMB; several new warehouse-type bldgs | |
| 336 | | 1081- 1082 | | 37-54 | 69-45 | USSR | G | | | Kulyab A/F; sod landing area approx 3,000' x 800' l prob Creek, l hangar | |
| SPB F | orm I | O (Revi | ised) | | | | | | | Page 22 of 23 | |

Page <u>22</u> of <u>23</u>

Approved For Release 2000/098f4CRETACRES89B00551R000700070001-6 CIA / RR-HTA

MISSION COVERAGE SUMMARY

| Date of Photograp | hy <u>28</u> | August 1957 | Report | No | HTA-MCS-29-57 | |
|-------------------|--------------|-------------|---------|-----|---------------|--|
| Date of Report | 10 Septem | aber 1957 | Mission | No. | в 4058 | |

| | | | | , | | | | | | |
|-----------|------|-----------------------|----------|--------------|---------|---------|-----|----------------|--------|--|
| WAC 8a | F | hoto l | dent. | Coordi | nates | Country | 11. | 함 | | Description |
| BE No. | Cam. | Exp. | Time | Lat. N | Long. E | Country | ηO | Photo Point | Ref. | 2007.p.(6) |
| 336 | 7 | 1081 - 1083 | | 37 | 69 | USSR | G | | | KULYAB; POL storage; several small secured areas; minor construction activity; military training area |
| 336 | 8 | 1- 4 | | 37 | 68 | USSR | G | | | KAGANOVICHABAD |
| 336 | 8 | 12- 14 | | 37 | 68 | USSR | G. | | | KYZYL-KALA; new RR bridge over Vakhsh River |
| 336 | 8 | 20- 24 | | 38 | 68 | USSR | G | | | OBI-KIIK |
| 336 | 8 | 35 - 37 | | 38-30 | 68-38 | USSR | G | | | Gissar A/F; 2 parallel runways each approx 7,500' long,poss u/c; no a/c visible; A/F has extensive improvement and enlargement |
| 336 | 8 | 34 - 36 | | 38 | 68 | USSR | G | | | GISSAR |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | = | | · | | | | |
| CDD 1 | | O (Pay | :- a d \ | L | L | l | | · | لنـــا | 0 22 |

SPB Form 10 (Revised)

Page <u>23</u> of <u>23</u>

Approved For Release 2000/09/14 : CIA-RDP89B00551R0007000700
TOP SECRET—

TOP SECRET

Approved For Release 2000/09/14 : CIA-RDP89B00551R00070007000